



Vipac Engineers and Scientists Limited

279 Normanby Rd, Port Melbourne, VIC 3207, Australia

Private Bag 16, Port Melbourne, VIC 3207, Australia

t. +61 3 9647 9700 | f. +61 3 9646 4370 | e. melbourne@vipac.com.au

w. www.vipac.com.au | A.B.N. 33 005 453 627 | A.C.N. 005 453 627

**ADVERTISED
PLAN**

This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

Vipac Engineers & Scientists

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



30N-20-0068-TRP-6775733-2

14 July 2020

ADVERTISED PLAN



BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment

This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

Job Title:	139-149 Boundary Road, North Melbourne
Report Title:	Wind Impact Assessment
Document Reference:	30N-20-0068-TRP-6775733-2

PREPARED FOR: BEG Developments Pty Ltd C/o Fusion Project Management Level 1 109 Drummond Street Australia CONTACT: Greg Field Tel: 0431 757086 Fax:	PREPARED BY: <i>copyright</i> Vipac Engineers and Scientists Limited 279 Normanby Rd, Port Melbourne, VIC 3207, Australia Tel: +61 3 9647 9700 Fax: +61 3 9646 4370
---	--

AUTHORED BY:	
Sophie Lamande <i>Wind Group Leader</i>	Date: 14 July 2020

REVIEWED BY:	
Zhuyun Xu <i>Senior Wind Consultant</i>	Date: 14 July 2020

REVISION HISTORY:			
<i>Rev. #</i>	<i>Comments / Details of change(s) made</i>	<i>Date</i>	<i>Revised by:</i>
Rev. 00	Original issue	03/04/2020	S. Lamande
Rev. 01	Plans Updated	13/07/2020	S. Lamande
Rev. 02	Landscaping Plans included	14/07/2020	S. Lamande

NOTE: This report has been prepared solely for the benefit of the client to whom this report is addressed for use herein ("Client") unless otherwise agreed in writing by Vipac Engineers and Scientists Limited ACN 005 453 627 ("Vipac"). Neither the whole of this report or any part of it may be published, duplicated or circulated without the prior written approval of Vipac except as required by law. Vipac does not assume any responsibility or liability for any losses suffered as a result of the publication, duplication or circulation of this report and excludes all liability whatsoever to any third party who may use or rely on the whole, or any part of this report.

Vipac has prepared this report using all reasonable care, skill and due diligence within the time period, budget and resources allocated to Vipac as agreed with the Client. Vipac excludes all liability to the Client whatsoever, whether in whole or in part, for the Client's use or reliance on the report other than for the purposes set out in the report, or any matters outside the agreed scope of the work.

For the purposes of preparing this report, reliance has been placed upon the material, representations, information and instructions provided to Vipac unless otherwise stated in the report. Originals of documents provided have not been required and no audit or examination of the validity of the documentation, representations, information or instructions provided has been undertaken except to the extent otherwise stated in this report. Information and findings contained in this report are based on Vipac's interpretation of data collected.

This document contains commercial, conceptual, engineering and other information that is proprietary to Vipac. The inclusion of this information in the report does not grant the Client any license to use the information without Vipac's prior written permission.

14 July 2020

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987.

The document must not be used for any purpose which may breach any copyright

EXECUTIVE SUMMARY

BEG Developments Pty Ltd commissioned Vipac Engineers and Scientists Pty Ltd to prepare a statement of wind effects for the proposed development at **139-149 Boundary Road, North Melbourne**. This appraisal is based on Vipac's experience as a wind-engineering consultancy.

Drawings of the proposed development were supplied by **CHT Architecture** in July 2020, as described in Appendix C of this report.

The findings of this study can be summarised as follows:

With proposed design:

- wind conditions in the ground level footpath areas would be expected to be within the **walking** comfort criterion.
- wind conditions in the building entrance areas would be expected to be within the **standing** comfort criterion.
- wind conditions at the open terrace on Level 11 would be expected to be within the recommended **walking** comfort criterion.

As such, the proposed development is expected to have an acceptable wind environment and Vipac makes no recommendation for the alteration of the design as proposed.

As a general statement, educating occupants about wind conditions at open terrace/balcony areas during high-wind events and fixing loose, lightweight furniture on the terrace are highly recommended.

The assessments provided in this report have been made based on experience of similar situations in Melbourne and around the world. As with any opinion, it is possible that an assessment of wind effects based on experience and without experimental validation may not account for all complex flow scenarios in the vicinity. Vipac recommends wind tunnel testing be undertaken to verify these predictions and optimise any wind mitigations measures, should they be required.

14 July 2020

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

TABLE OF CONTENTS

1	INTRODUCTION	5
2	ANALYSIS APPROACH	7
2.1	Site Exposure	8
2.2	Regional Wind Climate	9
2.3	Building Geometry and Orientation	10
2.4	Flow Interactions with Adjacent Developments.....	11
2.5	Assessment Criteria	12
2.5.1	Use of Adjacent Pedestrian Occupied Areas & Recommended Comfort Criteria	14
2.5.2	Terrace / Balcony and Rooftop areas Recommended Criterion Discussion.....	14
3	PEDESTRIAN LEVEL WIND EFFECTS	17
3.1	Discussion.....	17
3.2	Recommendations.....	18
4.	CONCLUSIONS	19
APPENDIX A:	ENVIRONMENTAL WIND EFFECTS	20
APPENDIX B:	REFERENCES	21
APPENDIX C:	DRAWING LIST	22

14 July 2020

This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any

1 INTRODUCTION

Vipac Engineers and Scientists has been commissioned by **BEG Developments Pty Ltd** to carry out an assessment of the pedestrian wind effects at the ground level and open spaces of the proposed development at **139-149 Boundary Road, North Melbourne**.

Strong winds in pedestrian areas are frequently encountered in central business districts of cities around the world; including Sydney, Melbourne and Brisbane. Wind characteristics such as the mean speed, turbulence and ambient temperature determine the extent of disturbance to users of pedestrian areas. These disturbances can cause both comfort and safety problems and require careful consideration to mitigate successfully.

The proposed development consists of an 11-storey buildings with approximate height of 42 m from ground level. The site is bounded by Boundary Road to the east and existing buildings in the other directions. A satellite image of the proposed development site and the north elevation are shown in Figure 1 and Figure 2 respectively.

This report details the opinion of Vipac as an experienced wind engineering consultancy regarding the wind effects in ground level footpath areas adjacent to the development as proposed. No wind tunnel testing has been carried out for this development at this stage. Vipac has carried out wind tunnel studies on a large number of developments of similar shape and having similar exposure to that of the proposed development. These serve as a valid reference for the prediction of wind effects. Empirical data for typical buildings in boundary layer flows has also been used to estimate the likely wind conditions on the ground level areas of the proposed development [2] & [3].

Drawings of the proposed development were supplied to Vipac by **CHT Architects** in July 2020. A list of drawings supplied is provided in Appendix C of this report.



Figure 1: Aerial view of the proposed development site.

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any sunlight



Figure 2: North Elevation of the proposed development showing the approximate height

2 ANALYSIS APPROACH

In assessing whether a proposed development is likely to generate adverse wind conditions in ground level footpath areas, Vipac has considered five main points:

- The exposure of the proposed development to wind
- The regional wind climate
- The geometry and orientation of the proposed development
- The interaction of flows with adjacent developments
- The assessment criteria, determined by the intended use of the areas affected by wind flows generated or augmented by the proposed development.

The pedestrian wind comfort at specific locations of ground level footpath areas may be assessed by predicting the worst annual 3-second wind gust expected at that location. The location may be deemed generally acceptable for its intended use if the annual 3-second gust is within the threshold values noted in Section 2.5. Where Vipac predicts that a location would not meet its appropriate comfort criterion, the use of wind control devices and/or local building geometry modifications to achieve the desired comfort rating may be recommended.

**This copied document to be made available
for the sole purpose of enabling
its consideration and review as
part of a planning process under the
Planning and Environment Act 1987.
The document must not be used for any
purpose which may breach any
copyright**



2.1 SITE EXPOSURE

The proposed development is predominantly surrounded within a 2 km radius by residential dwellings, with parklands and golf course to the east and the Melbourne CBD further away to the southeast. A satellite image of these site surroundings is shown in Figure 3.

Considering the immediate surroundings and terrain, the site of the proposed development is assumed to be within Terrain Category 2.5 for 50-120 azimuth degrees and Terrain Category 3 for all other directions (Figure 3).




Figure 3: Assumed terrain roughness for wind speed estimation.

This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any provision.

2.2 REGIONAL WIND CLIMATE

The mean and gust wind speeds have been recorded in the Melbourne area for 30 years. These data have been analysed and the directional probability distribution of wind speeds have been determined. The directional distribution of hourly mean wind speed at the gradient height ($\approx 500\text{m}$), with a probability of occurring once per year (i.e. 1 year return period) is shown in Figure 4. The wind data at this free stream height are common to all Melbourne city sites and may be used as a reference to assess ground level wind conditions at the site. Figure 4 indicates that the stronger winds can be expected from the northerly, southerly, and westerly directions.




Figure 4: Directional Distribution of Annual Return Period Maximum Mean Hourly Wind Velocities (m/s) at gradient height of 500m in Melbourne.

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any covenant

2.3 BUILDING GEOMETRY AND ORIENTATION

The proposed development site has a rectangular shaped plan, with the dimensions of approximately 55 m x 81 m shown in Figure 5. The building has a maximum height of approximately 42 m from street level (Figure 2).



Figure 5: Ground level plan of the proposed development.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose other than that stated.

2.4 FLOW INTERACTIONS WITH ADJACENT DEVELOPMENTS

The immediately adjacent developments are shown in Figure 6. There are buildings varying from 1-2 storeys surrounding the development, with future developments in the western sector ranging in height from 10-50 m.

With the current surroundings, the development is exposed to winds from all directions and is expected to experience downwash and corner acceleration effects for northerly and westerly winds. However, the future developments will provide significant shielding to the proposed developments for westerly winds. The communal terrace on Level 11 is also very exposed to northerly winds.




Figure 6: Immediately adjacent surroundings and their heights in meters.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

2.5 ASSESSMENT CRITERIA

With some consensus of international opinion, pedestrian wind comfort is rated according to the suitability of certain activities at a site in relation to the expected annual peak 3-second gust velocity at that location for each wind direction. Each of the major areas around the site are characterised by the annual maximum gust wind speeds. Most patrons may consider a site generally unacceptable for its intended use if it were probable that during one annual wind event, a peak 3-second gust occurs which exceeds the established comfort threshold velocity. If that threshold is exceeded once per year then it is also likely that during moderate winds, noticeably unpleasant wind conditions may result, and the windiness of the location may be voted as unacceptable.

The threshold gust velocity criteria are:

Table 1: Gust Velocity Criteria - Recommended Wind Speeds for Comfort and Safety

Annual Maximum Gust Speed	Result on Perceived Pedestrian Comfort
>23m/s	Unsafe (frail pedestrians knocked over)
<20m/s	Acceptable for fast walking (waterfront or particular walking areas)
<16m/s	Acceptable for walking (steady steps for most pedestrians)
<13m/s	Acceptable for standing (window shopping, vehicle drop off, queuing)
<11m/s	Acceptable for sitting (outdoor cafés, gardens, park benches)

In a similar manner, a set of hourly mean velocity criteria with a 0.1% probability of occurrence are also applicable to ground level areas in and adjacent to the proposed Development. An area should be within both the relevant mean and gust limits in order to satisfy the particular human comfort and safety criteria in question.

The threshold mean velocity criteria are:

Table 2: Mean Velocity Criteria - Recommended Wind Speeds for Comfort and Safety

Mean wind speed exceeded 0.1% of the time	Result on Perceived Pedestrian Comfort
>15m/s	Unsafe (frail pedestrians knocked over)
<13m/s	Acceptable for fast walking (waterfront or particular walking areas)
<10m/s	Acceptable for walking (steady steps for most pedestrians)
<7m/s	Acceptable for standing (window shopping, vehicle drop off, queuing)
<5m/s	Acceptable for sitting (outdoor cafés, gardens, park benches)

The Beaufort Scale is an empirical measure that related the wind speed to observed conditions on the land and sea. Table 3 describes the categories of the Beaufort Scale. The comparison between these observed conditions and the comfort criteria described above can be found in Table 4.

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

Table 3: Beaufort Scale - empirical measure relating wind speed to observed conditions on land

Beaufort Number	Descriptive Term	Wind Speed at 1.75 m height (m/s)	Specification for Estimating Speed
0	Calm	0-0.1	
1	Light Air	0.1-1.0	No noticeable wind
2	Light Breeze	1.1-2.3	Wind felt on face
3	Gentle Breeze	2.4-3.8	Hair disturbed, clothing flaps, newspapers difficult to read
4	Moderate Breeze	3.9-5.5	Raises dust and loose paper; hair disarranged
5	Fresh Breeze	5.6-7.5	Force of wind felt on body, danger of stumbling when entering a windy zone
6	Strong Breeze	7.6-9.7	Umbrellas used with difficulty, hair blown straight, difficult to walk steadily, sideways wind force about equal to forwards wind force, wind noise on ears unpleasant
7	Near Gale	9.8-12.0	Inconvenience felt when walking
8	Gale	12.1-14.5	Generally impedes progress, great difficulty with balance in gusts
9	Strong Gale	14.6-17.1	People blown over

Table 4: Comparison between Mean comfort criteria and the observed conditions

Comfort Criteria	Beaufort Scale Equivalent
Safety	9 – Strong Gale
Walking	5 – Fresh Breeze
Standing	4-5 – Moderate to Fresh Breeze
Sitting	<4 – Moderate Breeze

14 July 2020



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

2.5.1 USE OF ADJACENT PEDESTRIAN OCCUPIED AREAS & RECOMMENDED COMFORT CRITERIA

The following table lists the specific areas adjacent to the proposed development and the corresponding recommended criteria.

Table 5: Recommended application of criteria

Area	Specific location	Recommended Criteria
Public Footpaths and Access ways	Around the proposed development along Boundary Road (Figure 8)	Walking
Building entrances	Several locations, main entrance off Boundary Road (Figure 8)	Standing
Communal outdoor amenity areas	Courtyards at ground level and Roof Garden on Level 11	Walking (Refer to discussion below)

2.5.2 TERRACE / BALCONY AND ROOFTOP AREAS RECOMMENDED CRITERION DISCUSSION

Vipac recommends as a minimum that balcony/rooftop terrace areas meet the criterion for walking since:

- these areas are not public spaces;
- the use of these areas is optional;
- many similar developments in Melbourne and other Australian capital cities experience wind conditions on balconies and elevated deck areas in the vicinity of the criterion for walking.

However, it should be noted that meeting the walking criterion on elevated recreation areas will be no guarantee that occupants will find wind conditions in these areas acceptable at all times.

ADVERTISED PLAN


BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.



 Recommended to fulfil Walking  Recommended to fulfil Standing

Figure 7: Schematic plan view of the lower ground floor with recommended wind criteria overlaid

14 July 2020

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright




Figure 8: Schematic plan view of the upper ground floor with recommended wind criteria overlaid

14 July 2020



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

3 PEDESTRIAN LEVEL WIND EFFECTS

3.1 DISCUSSION

Ground Level

The pathways adjacent to the development on Boundary Road are exposed to direct northerly winds and downwash corner acceleration from northerly winds. However, we expect the wind levels will be within the walking comfort criterion. Future buildings constructed to the west of the site will also provide some additional protection from westerly winds in the future.

The main entrance area and retail frontages are located away from building corners with a setback design and are expected to meet the recommended standing comfort criterion.

The U-shape of the building will create a sheltered zone in the communal gardens and would be expected to be within the walking comfort criterion. Additionally, the landscaping in these courtyards will help to reduce wind levels further and would be expected to meet the more stringent standing comfort criteria in some areas.

As such, all ground level areas are expected to meet the recommended wind environment for pedestrian comfort.

Roof Garden on Level 11

The roof garden located on Level 11 of the proposed development is relatively exposed to prevailing winds from the north and west due to the height above the surrounding areas. However, considering the landscaping on the perimeter and the pergola structure proposed over the seating areas (see Figure 9), we expect that this space will have an acceptable wind environment.




Figure 9: Level 11 landscaping plan

It should be noted that this study is based on experience only and has not utilised any experimental data for the analysis.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

Balconies General

Whilst wind conditions on the apartment balconies will frequently be acceptable for outdoor recreation, during moderate to strong winds, conditions in these areas may exceed human comfort criteria. Balcony areas on similar developments in many major Australian capital cities typically experience similar elevated wind conditions. Vipac considers the proposed design to have acceptable wind environment in all balconies.

3.2 RECOMMENDATIONS

After careful consideration of the areas at the base of the proposed development, Vipac predicts that the proposed development will present some changes to existing wind conditions in adjacent ground level areas. However, wind levels are expected to be within the recommended comfort criteria at the ground level.

The wind conditions on the Level 11 terrace are expected to be within the recommended walking comfort criterion with the proposed design and landscaping.

As a general statement, educating occupants about wind conditions at terrace areas during high-wind events and fixing loose, lightweight furniture is highly recommended.

We recommend wind tunnel testing be undertaken to verify these predictions.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

4. CONCLUSIONS

An appraisal of the likely wind conditions at the pedestrian ground level and terraces for the proposed development at **139-149 Boundary Road, North Melbourne** has been made.

Vipac has carefully considered the form and exposure of the proposed development, nominated criteria for various public areas according to their function and referred to past experience to produce our opinion of likely wind conditions.

The findings of this study can be summarised as follows:

With proposed design:

- wind conditions in the ground level footpath areas would be expected to be within the **walking** comfort criterion.
- wind conditions in the building entrance areas would be expected to be within the **standing** comfort criterion.
- wind conditions at the communal open terrace on Level 11 would be expected to be within the recommended **walking** comfort criterion.

As a general statement, educating occupants about wind conditions at open terrace/balcony areas during high-wind events and fixing loose, lightweight furniture on the terrace are highly recommended.

The assessments provided in this report have been made based on experience of similar situations in Melbourne and around the world. As with any opinion, it is possible that an assessment of wind effects based on experience and without experimental validation may not account for all complex flow scenarios in the vicinity. We recommend wind tunnel testing be undertaken to verify these analyses and determine the optimal wind control strategies for the development.

This Report has been Prepared

For

BEG Developments Pty Ltd

By

VIPAC ENGINEERS & SCIENTISTS LTD.



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.


Appendix A: ENVIRONMENTAL WIND EFFECTS

Atmospheric Boundary Layer

As wind flows over the earth it encounters various roughness elements and terrain such as water, forests, houses and buildings. To varying degrees, these elements reduce the mean wind speed at low elevations and increase air turbulence. The wind above these obstructions travels with unattenuated velocity, driven by atmospheric pressure gradients. The resultant increase in wind speed with height above ground is known as a wind velocity profile. When this wind profile encounters a tall building, some of the fast moving wind at upper elevations is diverted down to ground level resulting in local adverse wind effects.

The terminology used to describe the wind flow patterns around the proposed Development is based on the aerodynamic mechanism, direction and nature of the wind flow.

Downwash – refers to a flow of air down the exposed face of a tower. A tall tower can deflect a fast moving wind at higher elevations downwards.




Corner Accelerations – when wind flows around the corner of a building it tends to accelerate in a similar manner to airflow over the top of an aeroplane wing.

Flow separation – when wind flowing along a surface suddenly detaches from that surface and the resultant energy dissipation produces increased turbulence in the flow. Flow separation at a building corner or at a solid screen can result in gusty conditions.

Flow channelling – the well-known “street canyon” effect occurs when a large volume of air is funnelled through a constricted pathway. To maintain flow continuity the wind must speed up as it passes through the constriction. Examples of this might occur between two towers, in a narrowing street or under a bridge.

Direct Exposure – a location with little upstream shielding for a wind direction of interest. The location will be exposed to the unabated mean wind and gust velocity. Piers and open water frontage may have such exposure.



ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. This document must not be used for any purpose which may breach any copyright.

Appendix B: REFERENCES

- [1] *Structural Design Actions, Part 2: Wind Actions*, Australian/New Zealand Standard 1170.2:2011
- [2] *Wind Effects on Structures* E. Simiu, R Scanlan, Publisher: Wiley-Interscience
- [3] *Architectural Aerodynamics* R. Aynsley, W. Melbourne, B. Vickery, Publisher: Applied Science Publishers

ADVERTISED PLAN

BEG Developments Pty Ltd

139-149 Boundary Road, North Melbourne

Wind Impact Assessment



This copied document to be made available for the sole purpose of enabling its consideration and review as

part of a planning process under the Planning and Environment Act 1987.

The document must not be used for any purpose which may breach any copyright

Appendix C: DRAWING LIST

Drawing Name	Drawing Number	Date
Development Summary 01	TP0.01	03/07/2020
Basement 03	TP2.00	03/07/2020
Basement 02	TP2.01	03/07/2020
Basement 01	TP2.02	03/07/2020
Lower Ground Floor Plan	TP2.03	03/07/2020
Upper Ground Floor Plan	TP2.04	03/07/2020
Level 01	TP2.05	03/07/2020
Level 02	TP2.06	03/07/2020
Level 03	TP2.07	03/07/2020
Level 04	TP2.08	03/07/2020
Level 05	TP2.09	03/07/2020
Level 06	TP2.10	03/07/2020
Level 07	TP2.11	03/07/2020
Level 08	TP2.12	03/07/2020
Level 09	TP2.13	03/07/2020
Level 10	TP2.14	03/07/2020
Level 11	TP2.15	03/07/2020
Roof	TP2.16	03/07/2020
Elevations	TP3.00	03/07/2020
Elevations	TP3.01	03/07/2020
Elevations	TP3.02	03/07/2020
Elevations	TP3.03	03/07/2020
Elevations	TP3.04	03/07/2020
Elevations	TP3.05	03/07/2020
Elevations	TP3.06	03/07/2020
Section A-A	TP4.01	03/07/2020
Section C-C	TP4.03	03/07/2020

14 July 2020