





Proposed relocation of ramp







FIRST FLOOR PLAN








FURNEAUX GROVE ELEVATION



LOCH STREET ELEVATION



SOUTH ELEVATION

Drawings for Planning Application

PROJECT CAULFIELD GRAMMAR SCHOOL 2 FURNEAUX GROVE ST KILDA EAST


DRAWING ELEVATION


DRAWINGS SUPPLIED BY ATCO
PROPOSED NEW CLASSROOMS


SCALE 1:100 @ A3


14 NOV 2018

EX 6











Tubular - Diplomat™

Share

Product Information

Material:	Steel
Applications:	Schools, Business, Railways
Quality:	Quality Endorsed
Finishes:	Galvanised Steel
Design options:	Through Rail
Accessories and fittings:	Flanges - standard fixing to posts by 40mm x 40mm steel rail flanges and tek screws or anti-theft screws. They are anti tamper and provide you with peace of mind. They can be supplied on request. All gates comes complete with drop bolts, lugs, chain, striker and ball bearing hinges.

Need a quote or more information?


Call our team of fencing experts or send us a request for quote.

Phone: 1800 336 237

REQUEST A FREE QUOTE


Sliding Gates can be priced on application. Double Gates are available in opening sizes up to 8000mm on request.

Standard Sizes



PANEL HEIGHTS (MM)	1800, 2100 or 2400
PANEL WIDTHS (MM)	2400
HORIZONTAL RAILS (MM)	40 x 40 x 1.6
VERTICAL PICKETS (MM)	25 x 25 x 1.2
TUBE SPACING	140mm Centres

Posts



INGROUND POST HEIGHT (MM)	From 2700 - 3600
STANDARD POSTS SPECS (MM)	65 x 65 x 2.0

Colours